

ATEX LINEAR LIGHT 60W



II 2 G Ex db IIC T6 Gb
II 2 G Ex db IIB T6 Gb
II 2 D Ex tb IIIC T80°C Db IP66

Technical Specifications

Wattage	60W
Voltage	100-240V,50-60Hz
Lumens	8400 Lm(±5%)
Efficiency	140 Lm/W
CRI (Ra)	>70 Ra
CCT	6000K
Beam Angle	120 Degree
IP Rating	IP66
Lifetime	100.000h
Driver	Meanwell
Led chips	CREE
Power Factor	>0.95
Working Temperature	-30°C - +50°C
Warranty	5 Years
Dimensions	653X125X77mm
Mounting	Clamps for mounting on 1 ½-inch pipe (ISO/EN)
Certificates	CE, ROHS,ATEX
Explosion Proof Grade	Ex de IIC T6



BIGSOLAR


Λ. Νάτο 100, 19300 Ασπρόπυργος

Τηλ: 210 5509090

Fax: 210 5594559

E-mail: info@bigSolar.gr

Web: www.bigSolar.gr



Dimensions



Μεγάλη **και** στην εξοικονόμηση ενέργειας



BIGSOLAR

Λ. Νάτο 100, 19300 Ασπρόπυργος


Τηλ: 210 5509090

Fax: 210 5594559

E-mail: info@bigsolar.gr

Web: www.bigsolar.gr

Pictures



Μεγάλη **και** στην εξοικονόμηση ενέργειας
