

Λ. Νάτο 100, 19300 Ασπρόπυργος
Τηλ: 210 5509090
Fax: 210 5594559
E-mail: info@bigsolar.gr
Web: www.bigsolar.gr

LED Triproof 50W





Technical Characteristics

Big Solar Code Wattage Kelvin Range **Operating Voltage** Total Lumen Efficiency IP Class Life Span (Hours) Warranty (Years) Working Temperature Power Factor CRI Material Material Color Dimmable Dimensions Certificate

	BSL 0636/03742
	50W
	5000K
	220V AC – 240V AC
	6500Lm ±5%
	130Lm/W
	IP 65
	50000 Hours
	5 Years
	-20 - +45 °C
	>0,9
	>80
	Aluminum
	White
	Optional
	1200X85X74 mm
	CE (EMC-LVD) ROHS

Μεγάλη και στην εξοικονόμηση ενέργειας



 Λ. Νάτο 100, 19300 Ασπρόπυργος **Τηλ**: 210 5509090 **Fax**: 210 5594559 **E-mail**: info@bigsolar.gr **Web**: www.bigsolar.gr

Product Show

Housing: LED Tri-Proof Light with 6063 Aviation Aluminum housing, wavy surface, efficient heat dissipation, outstanding durability. Cover: Milky Cover, 90% high transmittance, durable, anti-corrosive, anti-glare LEDs: 2835SMD, high lumen, CRI>80Ra

Driver: Tuv passed, high stability isolated driver, PF>0.95



Μεγάλη και στην εξοικονόμηση ενέργειας



Installation

- A. Ceiling Mounted Installation, Standard Installation
- B. Suspended Installation
- C. Linking in series




Application of LED Tr-Proof Light

LED Tri-Proof Light can be widely used in Public Lighting, Commercial Lighting and Industrial Lighting.

Like Metro Station Lighting, Train Stations Lighting, Bus Stations Lighting, Airports Lighting, Tunnels Lighting, Corridor Lighting, Supermarkets Lighting, Car Parks Lighting, Stairwells Lighting, Service Centre Lighting, Gallery Lighting, Horse Farm Lighting, Swimming Pool

Lighting, Factories Lighting, Warehouses Lighting, Workshop Lighting, Exhibition Hall Lighting, etc.



Μεγάλη και στην εξοικονόμηση ενέργειας