

 Λ. Νάτο 100, 19300 Ασπρόπυργος **Τηλ**: 210 5509090 **Fax**: 210 5594559 **E-mail**: <u>info@bigsolar.gr</u> **Web**: <u>www.bigsolar.gr</u>

LED Triproof 50W





Technical Characteristics

Big Solar Code	
Wattage	
Kelvin Range	
Operating Voltage	
Total Lumen	
Efficiency	
IP Class	
Life Span (Hours)	
Warranty (Years)	
Working Temperature	
Power Factor	
CRI	
Material	
Material Color	
Class	
Dimmable	
Dimensions	
Certificate	

	BSL 0636/03744
	50W
	5000K
	220V AC – 240V AC
	6500Lm ±5%
	130Lm/W
	IP 65
	50000 Hours
	5 Years
	-20 - +60 °C
	>0,9
	>80
	Aluminum
	White
	Class I
	Optional
	1500X85X74 mm
	CE (EMC-LVD) ROHS
- 1	

Μεγάλη και στην εξοικονόμηση ενέργειας



Λ. Νάτο 100, 19300 Ασπρόπυργος **Τηλ**: 210 5509090 Fax: 210 5594559 E-mail: info@bigsolar.gr Web: www.bigsolar.gr

Product Show

Housing: LED Tri-Proof Light with 6063 Aviation Aluminum housing, wavy surface, efficient heat dissipation, outstanding durability. Cover: Milky Cover, 90% high transmittance, durable, anti-corrosive, anti-glare LEDs: 2835SMD, high lumen, CRI>80Ra

Driver: Tuv passed, high stability isolated driver, PF>0.95



Upgrade Appearance, Better Heat Dissipation, Higher Light Effect, More Functions for choose

Μεγάλη και στην εξοικονόμηση ενέργειας



Installation


- A. Ceiling Mounted Installation, Standard Installation
- B. Suspended Installation
- C. Linking in series



Application of LED Tr-Proof Light

LED Tri-Proof Light can be widely used in Public Lighting, Commercial Lighting and Industrial Lighting.

Like Metro Station Lighting, Train Stations Lighting, Bus Stations Lighting, Airports Lighting, Tunnels Lighting, Corridor Lighting, Supermarkets Lighting, Car Parks Lighting, Stairwells Lighting, Service Centre Lighting, Gallery Lighting, Horse Farm Lighting, Swimming Pool



Μεγάλη και στην εξοικονόμηση ενέργειας